

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	318676	((light pen) or stylus or (input (apparatus or device or pen)) or (pen light) or (pen with (scanner pen head)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	S2	13	S1 and ((remov\$5 or detach\$6) ((tip or lead) end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	S3	21	S1 and ((remov\$5 or detach\$6) ((tip or lead\$4) end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	S4	275690	((light (source or bulb)) or ((light emitting diod\$4) or "LED")) and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	S5	23827	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	S6	0	S5 and ((remov\$5 or detach\$6) ((tip or lead) end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	S7	1	S5 and ((remov\$5 or detach\$6) ((tip or lead\$4) end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	S9	2617	S5 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	S10	1079	S5 and "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	S11	771	S5 and "382"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	S12	0	S5 and "286"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	S14	461	S5 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	S15	606	S5 and "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	S16	5421	S8 or S9 or S10 or S11 or S12 or S13 or S14 or S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	S17	2393	S16 and ((power source) or batter\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	S18	136	S16 and ((power source) or batter\$4) and (current control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	S8	327	S5 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	S13	81	S5 and "706"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	S19	1627	S1 and 345/179-183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	S20	295	S5 and 345/179-183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	S21	247	S20 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	S22	22	("20020021291" "20020135536" "3673579" "4315282" "4677428" "5239373" "6044165" "6154200" "6623136" "6657618").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	S23	10	("20020021291" "20020135536" "3673579" "4315282" "4677428" "5239373" "6044165" "6154200" "6623136" "6657618").PN.	US-PGPUB; USPAT
24	IS&R	S24	2	((("6529189") or ("6882340")).PN.	USPAT
25	BRS	S25	9	("20010008389"   "20030122804"   "5111004"   "5419563"   "5447167"   "5977959"   "6259438"   "6307956"   "6330359").PN. OR ("6882340").URPN.	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
26	BRS	S26	14	("4430526"   "4672154"   "4787051"   "4814552"   "5051736"   "5757362"   "5959617"   "6130666"   "6151015"   "6160539"   "6188392"   "6229601"   "6292181").PN. OR ("6529189").URPN.	US-PGPUB; USPAT; USOCR
27	BRS	S27	311	362/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	S28	834303	(light emitting diod\$4) or "LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	S29	73	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	S30	11	("5803583"   "5939702"   "6129473").PN. OR ("6238119").URPN.	US-PGPUB; USPAT; USOCR
31	BRS	S31	319033	((light pen) or stylus or (input (apparatus or device or pen)) or (pen light) or (pen with (scanner pen head))) or (writting (tool or apparatus or pen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	S32	32401	S31 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	S33	81	((light emitting diod\$4) or "LED" with switch) with ("within" or "in") with (end portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	S34	6	S33 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	S35	193723	((light emitting diod\$4) or "LED" with switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	S36	14413	S31 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	S37	221	S36 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	S38	1708	S36 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	S39	200	S36 and "345"/179,183,180,182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	S40	30	S36 and "362"/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	S41	228	S39 or S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	S42	21	("4794384"   "5414227"   "5477012"   "5644139").PN. OR ("6151015").URPN.	US-PGPUB; USPAT; USOCR
43	BRS	S48	5	362/118.ccls. and (current (regulator or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	S49	20613	((light emitting diod\$4) or "LED") and (current (regulator or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	S50	2	((light emitting diod\$4) or "LED") and (current (regulator or control\$4)) and 362/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	S51	4	("4475240"   "5736980"   "6099185"   "6106132").PN. OR ("6623135").URPN.	US-PGPUB; USPAT; USOCR
47	BRS	S52	12	("2663791"   "2811632"   "4890204"   "5131775").PN. OR ("6099185").URPN.	US-PGPUB; USPAT; USOCR
48	BRS	S53	319317	((light pen) or stylus or (input (apparatus or device or pen)) or (pen light) or (pen with (scanner pen head)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	S54	1991	((light emitting diod\$4) or "LED") and (current (regulator or control\$4)) and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	S55	1519	S54 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
51	BRS	S56	711	S54 and switch and batter\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	S57	361	S54 and switch and batter\$4 and writ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	S58	9	S54 and switch and batter\$4 and writ\$5 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	BRS	S59	845	((light emitting diod\$4) or "LED") and (current (regulator or control\$4)) and pen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	S60	442	((light emitting diod\$4) or "LED") and (current (regulator or control\$4)) and pen and batter\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	S61	413	((light emitting diod\$4) or "LED") and (current (regulator or control\$4)) and pen and batter\$4 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	S62	0	((light emitting diod\$4) or "LED") and (current (regulator or control\$4)) and pen and batter\$4 and (surface switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	BRS	S63	16	((light emitting diod\$4) or "LED") and (current (regulator or control\$4)) and pen and batter\$4 and (pressure switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	S64	1	("2002/0021291").URPN.	USPAT
60	BRS	S65	28	("1610006"   "2811632"   "2979602"   "3963914"   "4028540").PN. OR ("5193897").URPN.	US-PGPUB; USPAT; USOCR
61	BRS	S66	32	("4517628"   "4563728"   "4916579"   "5056097"   "5193897").PN. OR ("5343376").URPN.	US-PGPUB; USPAT; USOCR
62	BRS	S67	28	("1610006"   "2811632"   "2979602"   "3963914"   "4028540").PN. OR ("5193897").URPN.	US-PGPUB; USPAT; USOCR
63	BRS	S68	305	362/118.ccls. or 362/118.ccls.	US-PGPUB; USPAT; USOCR
64	BRS	S69	215081	S53 or 362/118.ccls.	US-PGPUB; USPAT; USOCR
65	BRS	S70	9926	(switch with press\$4) and S69	US-PGPUB; USPAT; USOCR
66	BRS	S71	247	(switch with press\$4) and S69 and S49	US-PGPUB; USPAT; USOCR
67	BRS	S72	120	(switch with press\$4) and S69 and S49 and batter\$3	US-PGPUB; USPAT; USOCR
68	BRS	S73	319560	S53 or 362/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	S74	9926	(switch with press\$4) and S73	US-PGPUB; USPAT; USOCR
70	BRS	S75	247	(switch with press\$4) and S73 and S49	US-PGPUB; USPAT; USOCR
71	BRS	S76	120	(switch with press\$4) and S73 and S49 and batter\$4	US-PGPUB; USPAT; USOCR
72	BRS	S77	0	S76 not S72	US-PGPUB; USPAT; USOCR
73	IS&R	S78	1	("5343376").PN.	USPAT
74	IS&R	S79	2	((("5343376") or ("6151015"))).PN.	USPAT
75	IS&R	S80	3	((("5343376") or ("6151015") or ("5294792"))).PN.	USPAT
76	IS&R	S81	4	((("5343376") or ("6151015") or ("5294792") or ("5453759"))).PN.	USPAT
77	IS&R	S82	5	((("5343376") or ("6151015") or ("5294792") or ("5453759") or ("6129473"))).PN.	USPAT
78	IS&R	S83	6	((("5343376") or ("6151015") or ("5294792") or ("5453759") or ("6129473") or ("6882340"))).PN.	USPAT
79	BRS	S84	0	((light emitting diod\$4) or "LED") and (current (regulator or control\$4)) and pen and ((pen near2 down) switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	BRS	S85	10	((light emitting diod\$4) or "LED") and pen and ((pen near2 down) switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

81	BRS	S86	0	("2003/0076310").URPN.	USPAT
----	-----	-----	---	------------------------	-------

	Type	Ref #	Hits	Search Text	DBs
82	BRS	S87	9	("20010008389"   "20030122804"   "5111004"   "5419563"   "5447167"   "5977959"   "6259438"   "6307956"   "6330359").PN. OR ("6882340").URPN.	US-PGPUB; USPAT; USOCR
83	IS&R	S88	4	((("2811632") or ("7009594") or ("3917955") or ("3885096")).PN.	USPAT
84	BRS	S89	38	("3242470"   "3292489"   "3761877").PN. OR ("3885096").URPN.	US-PGPUB; USPAT; USOCR
85	BRS	S90	956	362/118,33,97.ccls.	US-PGPUB; USPAT; USOCR
86	BRS	S91	319317	((light pen) or stylus or (input (apparatus or device or pen)) or (pen light) or (pen with (scanner pen head)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	BRS	S92	834690	((light emitting diode\$4) or "LED")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	BRS	S93	591582	(light (source or bulb))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	BRS	S94	1323798	S92 or S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	BRS	S95	45695	S91 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	BRS	S96	23858	S91 and S94 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	BRS	S97	49	S96 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	BRS	S98	6259	362/102,110-114,116-120,800,802,812,579.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	BRS	S99	1860	345/1.156,179,180,183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	BRS	S100	1218	348/14.01,141.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	BRS	S101	226	365/114,115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	BRS	S102	438	178/15,19.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	BRS	S103	169	704/266.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	BRS	S104	10154	S98 or S99 or S100 or S101 or S102 or S103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	BRS	S105	401	S104 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	BRS	S106	359	S105 not S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	10048	light pen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	S2	1458192	((light emit\$5) or (light source) or ((light emit\$5 diod\$4) or "LED"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	S3	347761	S2 and (switch\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	S4	228639	current with ((controlller or controlling) or (regulator or regulating))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	S5	26583	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	S6	14495	S5 and (batter\$3 or (power source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	S7	74	S1. and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	S8	57	S7 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	S9	17	S7 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	S10	3153	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	S11	242	S1 and S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	S12	188	S11 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	S13	131	S12 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	S14	608	S10 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	S15	150	S10 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	S16	752	S14 or S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	S17	657	S16 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	S18	15	S17 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
19	BRS	S19	20	("2553245"   "2920232"   "2932770"   "3149311"   "3201764"   "3340401"   "3443332"   "3479517"   "3505527"   "3539995").PN.	US-PGPUB; USPAT; USOCR
20	BRS	S20	27	("3932862").URPN.	USPAT
21	BRS	S21	20	("2553245"   "2920232"   "2932770"   "3149311"   "3201764"   "3340401"   "3443332"   "3479517"   "3505527"   "3539995").PN.	US-PGPUB; USPAT; USOCR
22	BRS	S22	14	("3443332").URPN.	USPAT
23	BRS	S23	78	S1 and S2 and S3 and S4	USPAT
24	BRS	S24	1228	presentation and photograph\$5 and (image output) and (display or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	S25	177	S1 and S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	S26	128	S25 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	S27	51	S26 not S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	S28	55	S24 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	S29	46	S28 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	IS&R	S30	1	("4315282").PN.	USPAT
31	BRS	S31	3	("3997891"   "4017680"   "4115804").PN.	US-PGPUB; USPAT; USOCR
32	BRS	S32	16	("4315282").URPN.	USPAT
33	IS&R	S33	1	("5526023").PN.	USPAT
34	BRS	S34	3	("5166666"   "5285506"   "5347295").PN.	US-PGPUB; USPAT; USOCR
35	BRS	S35	41	("5526023").URPN.	USPAT
36	IS&R	S36	14	((("6654785") or ("6560637") or ("6108687") or ("5767897") or ("4846694") or ("4953971") or ("5359550") or ("5528266") or ("5738429") or ("5818421") or ("6091408") or ("6104447") or ("6141000") or ("6172668")).PN.	USPAT
37	IS&R	S37	1	("3673579").PN.	USPAT
38	BRS	S38	809134	((light emit\$5 diod\$4) or "LED")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	S39	10049	light pen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	S40	1458524	(light emit\$5) or (light source) or ((light emit\$5 diod\$4) or "LED")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	S41	3153	S39 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
42	BRS	S42	608	S41 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	S43	150	S41 and "362"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	S44	752	S42 or S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	S45	657	S44 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	S46	351	S45 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	S47	351	S45 and S38 and (light pen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	S48	10	S47 and (current control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	S49	89	345/183.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	S50	6738	362/102,110-114,116- 120,33,97,800,802,812.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	S51	4349	345/156,179,180.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	S52	223	365/114,115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	S53	11305	S50 or S51 or S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	BRS	S54	7265	S53 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	S55	596	S54 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	S56	149	S54 and S39 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	S57	4	S56 and (current control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	IS&R	S58	1	("6154200").PN.	USPAT
59	BRS	S59	5	("4677428"   "5420607"   "5646650"   "5953001"   "5959616").PN.	US-PGPUB; USPAT; USOCR
60	BRS	S60	5	("6154200").URPN.	USPAT
61	BRS	S62	2	JP-2002132327-\$.did.	JPO; DERWENT
62	BRS	S61	2	JP-2000132327-\$.did.	JPO; DERWENT
63	BRS	S63	2	JP-2002174184-\$.did.	JPO; DERWENT



64	BRS	S64	2	JP-2002187111-\$.did.	JPO; DERWENT
----	-----	-----	---	-----------------------	--------------

	Type	Ref #	Hits	Search Text	DBs
65	BRS	S65	2	JP-2002281208-\$.did.	JPO; DERWENT
66	BRS	S66	2	JP-2002289402-\$.did.	JPO; DERWENT
67	BRS	S67	2	JP-2003094271-\$.did.	JPO; DERWENT
68	IS&R	S68	1	("4315282").PN.	USPAT
69	IS&R	S69	0	("(videocamera)samefilter").PN.	USPAT
70	BRS	S70	5725	(video camera) same filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	BRS	S71	25	S70 and presentation (system or apparatus or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	BRS	S72	25	S70 and (presentation (system or apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	BRS	S73	24533	(video camera) and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	BRS	S74	232	S73 and (presentation (system or apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	BRS	S75	207	S74 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	BRS	S76	138	S75 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	BRS	S77	91841	(camera) and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	BRS	S78	525	S77 and presentation (system or apparatus or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	BRS	S79	0	presentation material mounting screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	BRS	S80	84	(presentation material) with screen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
81	BRS	S81	5	S78 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	BRS	S82	97	overhead with (presentation (system or apparatus or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	S83	2	S77 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	IS&R	S84	6	("5,239,373") or ("4,371,893") or ("4,400,724") or ("4,430,526") or ("5,025,314") or ("5,444,476").PN.	USPAT
85	BRS	S85	560	345/1.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

86	BRS	S87	1176	"348/141,14".S85.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
----	-----	-----	------	------------------------	--

	Type	Ref #	Hits	Search Text	DBs
87	BRS	S88	1736	S85 or S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	BRS	S89	1430	S88 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	BRS	S90	1458524	((light emit\$5) or (light source) or ((light emit\$5 diod\$4) or "LED"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	BRS	S91	10049	light pen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	BRS	S92	1465420	S90 or S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	BRS	S93	974842	S92 and @ad < "20030327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	BRS	S94	252	S93 and S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	BRS	S95	71	S94 and (batter\$3 or (power source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB